




PRECISE AND FAST – BOOST YOUR
PRODUCTIVITY WITH FIBRE CUTTERS
FROM LUTZ BLADES



- CUSTOM BLADES
- FILM AND FOIL
- CHEMICAL FIBRES AND FIBREGLASS
- MEDICAL
- FOOD
- DIY
- AUTOMOTIVE
- TEXTILES

PRECISION. SHARPNESS. YOUR SUCCESS.
exactly

Reasons why you need LUTZ BLADES:




PRECISION.

Our maxim is precision – and it is this principle that accompanies every stage from the initial idea to the finished product. Right through to the ideal solution for your specific cutting application to ensure your requirements are met. Throughout every design and development stage and every production step – blade after blade after blade.



SHARPNESS.

We have been making blades and cutters since 1922. From razor-sharp, for extremely fine cutting jobs to extremely robust for impact and pressure cutting actions. Together with the customer, we define all the relevant parameters to ensure your individual requirements are met – to provide greater sharpness and better service lifetimes.



YOUR SUCCESS. exactly

Your competitive advantage when you use products from LUTZ BLADES for cutting synthetic fibres and fibreglass is the sum of all our efforts and the details we guarantee you. We are pleased to show you those details because your success is our objective – from the first to the millionth blade.



AND THIS IS HOW YOU CAN BENEFIT FROM CHEMICAL FIBRE BLADES BY LUTZ BLADES

- » Controlled length of fibre and no unravelling
- » Longer machine up-times thanks to fewer blade changes
- » Higher productivity
- » Adaptation of the blade to match your specific process requirements



CUSTOM BLADES | FILM AND FOIL | CHEMICAL FIBRES AND FIBREGLASS | MEDICAL | FOOD | DIY | AUTOMOTIVE | TEXTILES

LUTZ BLADES website are subject to copyright and other proprietary rights.
LUTZ BLADES allows access to all its website content for viewing purposes. Copying and reproducing content (copy images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.

LUTZ BLADES will pursue all violations against trademark law regarding its trademarks.
Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our

Proprietary rights: The owner of the brandnames used by LUTZ BLADES is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found there. This applies in particular to the internationally registered trademark "LUTZ BLADES exactly", which consists of words and graphic symbols.
E & OE: Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at www.lutz-blades.com.

Ref.	Length (mm)	Width (mm)	Thickn. (mm)	Ref.	Length (mm)	Width (mm)	Thickn. (mm)	Ref.	Length (mm)	Width (mm)	Thickn. (mm)
3196.0884	405.6	18.8	0.88	5040.0884	48.0	7.9	0.88	5000.0884	74.6	15.6	0.88
5004.0884	74.5	15.5	0.88	5056.0884	64.0			5001.0884	90.0		
5051.0884	95.0	19.0	0.89	5035.0884	32.2	12.1	0.88	5009.0884	85.0		
5130.0884	70.0	10.0	0.88	7502.0480	16.0	8.0	0.48	5014.0884	107.0		
5013.0884	190.0	15.7	0.88					5015.0884	96.0	15.7	
5120.0884	41.3	18.8	0.88					5020.0884	80.0	15.6	
5134.0884	95.0	10.0	0.88					5007.0884	100.0	15.6	0.88
								5151.0884	26.0	4.9	0.88
								8903.0400	25.6	8.0	0.40
								5010.0884	117.6	15.6	0.88
				5055.0884	117.5	15.6	0.88				
				5136.0700	120.0	8.0	0.70				
				5135.0700	144.0						

LUTZ BLADES – THE PREFERRED CHOICE FOR CUTTING FIBREGLASS

Cutting fibreglass requires blades that are of high quality and efficiency.

This applies to chopping strands, rovings and composite materials as well.

Benefits of fibreglass blades by LUTZ BLADES:

- » Outstanding, consistent quality for uniform cut lengths

- » Avoid rust and contamination from fibreglass
- » Adaptation of the blades to match your process requirements (e.g. wet or dry cutting, different kinds of fibreglass)










CUSTOM BLADES | FILM AND FOIL | CHEMICAL FIBRES AND FIBREGLASS | MEDICAL | FOOD | DIY | AUTOMOTIVE | TEXTILES

LUTZ BLADES website are subject to copyright and other proprietary rights.
LUTZ BLADES allows access to all its website content for viewing purposes. Copying and reproducing content (copy images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.

LUTZ BLADES will pursue all violations against trademark law regarding its trademarks.
Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our

Proprietary rights: The owner of the brandnames used by LUTZ BLADES is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found there. This applies in particular to the internationally registered trademark "LUTZ BLADES exactly", which consists of words and graphic symbols.
E & OE. Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at www.lutz-blades.com.

Ref.	Length (mm)	Width (mm)	Thickn. (mm)	Ref.	Length (mm)	Width (mm)	Thickn. (mm)	Ref.	Length (mm)	Width (mm)	Thickn. (mm)
											
3242.0254	25.4	7.9	0.25	3146.0250	120.5	8.0	0.25	5030.0884	54.0	15.6	0.88
				3146.0500			0.50				
				3145.0250	400.0		0.25				
				3144.0300	190.0		0.30	5029.0884	74.6	15.6	0.88
				3210.0250	100.0	8.3	0.25	5031.0884	87.0		
				3252.0300	1760.0		0.30				
2993.0300	endless	8.1	0.30					3240.0254	22.2	7.9	0.25
3009.0300	endless	8.0	0.30					5034.0900	52.0	19.0	0.90
											
3201.0884	155.0	15.8	0.88								
3188.0870	232.0		0.87								
											
3220.0630	152.4	18.8	0.63								
3208.0884	155.0		0.88								
3211.0381	235.7	18.9	0.38								
3198.0400	300.0	18.0	0.40								
											
3195.0300	200.0	19.0	0.30								
											
3172.0254	225.0	17.8	0.25								
3194.0254	238.0		0.25								
											
3207.0300	300.0	20.0	0.30								
3206.0700	1371.6	22.2	0.70								

FIBRE BLADES BY LUTZ BLADES HAVE THE FOLLOWING CHARACTERISTICS

- » Broad range of materials
- » Adhere to difficult tolerance standards
- » Meet optimum hardness requirements
- » Selected high performance coatings available





CUSTOM BLADES | FILM AND FOIL | CHEMICAL FIBRES AND FIBREGLASS | MEDICAL | FOOD | DIY | AUTOMOTIVE | TEXTILES


LUTZ BLADES website are subject to copyright and other proprietary rights.
LUTZ BLADES allows access to all its website content for viewing purposes. Copying and reproducing content (copy images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.


LUTZ BLADES will pursue all violations against trademark law regarding its trademarks.
Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our


Proprietary rights: The owner of the brandnames used by LUTZ BLADES is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found there. This applies in particular to the internationally registered trademark "LUTZ BLADES exactly", which consists of words and graphic symbols.
E & OE: Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at www.lutz-blades.com.


Ref.	Length (mm)	Width (mm)	Thickn. (mm)
			
5123.0884	97.5	18.8	0.88



			
5036.0884	64.4	12.1	0.88




			
5093.0884	63.0	10.0	0.88


			
9520.0880	39.7	14.4	0.88


			
9525.1250	30.0	18.0	1.25


			
5140.1400	135.0	18.5	1.40


			
5033.0884	140.0	19.0	0.88
			
5032.0884	320.0		

Ref.	Length (mm)	Width (mm)	Thickn. (mm)
			
5050.0884	75.0	19.0	0.88
			
5060.0884	95.0		
			
5070.0884	140.0		

			
5091.0884	69.8	19.0	0.88

			
5063.0914	114.3	18.8	0.91

			
5076.0884	120.0	19.0	0.88

Ref.	Length (mm)	Width (mm)	Thickn. (mm)
			
5052.0884	80.0	15.6	0.88

			
5082.0700	32.2	12.0	0.70

			
5097.0884	20.0	19.0	0.88

LUTZ BLADES – THE PREFERRED CHOICE FOR CUTTING CHEMICAL FIBRES

Whether staple fibres, filaments or web, manufacturing chemical fibres is a high-performance process. Excellent blades can have a decisive influence on the efficiency of the process and the quality of the product.

Blades by LUTZ BLADES take into account varying diameters and are made to deal with treatments and heavy impacts from thicker sections.






CUSTOM BLADES | FILM AND FOIL | CHEMICAL FIBRES AND FIBREGLASS | MEDICAL | FOOD | DIY | AUTOMOTIVE | TEXTILES


LUTZ BLADES website are subject to copyright and other proprietary rights.
LUTZ BLADES allows access to all its website content for viewing purposes. Copying and reproducing content (copy images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.


LUTZ BLADES will pursue all violations against trademark law regarding its trademarks.
Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our


Proprietary rights: The owner of the brandnames used by LUTZ BLADES is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found there. This applies in particular to the internationally registered trademark "LUTZ BLADES exactly", which consists of words and graphic symbols.
E & OE. Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at www.lutz-blades.com.


Ref.	Length (mm)	Width (mm)	Thickn. (mm)
			
2650.0530	40.9	63.0	0.53

Ref.	Length (mm)	Width (mm)	Thickn. (mm)
			
9521.1800	26.0	15.0	1.80
			
9810.0650	23.0	15.55	0.65

Ref.	Length (mm)	Width (mm)	Thickn. (mm)
			
9580.1200	60.0	64.0	1.20


			
3130.0650	86.4	16.0	0.65
3130.0884			0.88
3215.0630			0.63
3135.0900	80.0	18.9	0.90

			
3136.0900	60.0	19.0	0.90

			
3181.0884	196.0	12.5	0.88
3250.0300	126.0	8.0	0.30
3182.0870	352.0	15.7	0.87
3177.0884	124.5	15.6	0.88
3175.0884	155.0		
3183.0884	195.0	15.8	
3180.0870	248.0		0.87

CHOICE OF MATERIAL

Our range of products covers blades of between 0.06 and 3.0 mm in thickness and with final hardness ratings of 40 - 85 HRc.



Our range of materials includes:

- » Carbon steels
- » Stainless and rust-resistant steels
- » Highspeed steels (HSS)
- » Tool steels
- » Tungsten carbides
- » Ceramics

LUTZ BLADES website are subject to copyright and other proprietary rights.
LUTZ BLADES allows access to all its website content for viewing purposes. Copying and reproducing content (copy images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.

LUTZ BLADES will pursue all violations against trademark law regarding its trademarks.
Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our

Proprietary rights: The owner of the brandnames used by LUTZ BLADES is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found there. This applies in particular to the internationally registered trademark LUTZ BLADES exactly®, which consists of words and graphic symbols.

E & OE. Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at www.lutz-blades.com.

CUTTING EDGE SHAPES

For the definition of edge type and bevel configuration see the following matrix:



LUTZ BLADES website are subject to copyright and other proprietary rights.
LUTZ BLADES allows access to all its website content for viewing purposes. Copying and reproducing content (copy images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.

LUTZ BLADES will pursue all violations against trademark law regarding its trademarks.
Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our


Proprietary rights: The owner of the brandnames used by LUTZ BLADES is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found there. This applies in particular to the internationally registered trademark "LUTZ BLADES exactly", which consists of words and graphic symbols.

E & OE. Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at www.lutz-blades.com.

		single edged	double edged	convex	concave
two sided					
one sided					

COATINGS

Sharpness
Quality of the cut



The LUTZ BLADES coatings range includes the following choices:

TiN

Standard hard coating with tough resistance to wear with a relatively high coefficient of friction (compared with steel as a reference material: 0.4 to 0.7), usually gold coloured, safe use at up to approx. 300 °C.

TiC

Has lower resistance to wear than TiN and a considerably lower coefficient of friction (compared with steel as a reference material: 0.3 to 0.5), usually charcoal grey.

TiCN

Takes a position between the high wear resistance of TiN and the low coefficient of friction of TiC, relative position between TiN and TiC depending on C and N content, usually charcoal grey.

TiAlN

Has greater resistance to oxidation than TiN with a comparable coefficient of friction, usually charcoal grey.

ZrN

With wear resistance similar to TiN, but with a more dense morphology than TiN and, as a result, more resistant to pitting under comparable load, usually steel colour.

CrN

Lower wear resistance than TiN. The advantage of CrN is it has a lower inherent tension than TiN. As a result, can be used for applications with high bending loads.

DLC

Has a high wear resistance and a low coefficient of friction (approx. 0.4 compared with steel as a reference); sensitive to impacts and high temperatures (between 100° and 300 °C depending on structure).

Teflon® (PTFE)

Non-stick coating Teflon® (PTFE), very low static friction allows a smooth cut, therefore a popular coating for medical devices. Because of the low surface tension almost no contamination from the cut goods. Acid and base-resistant, not suitable in combination with Na (sodium). Temperature resistant up to 250°C (480°F). Medium wear resistance.

Coloured lacquer

Applied to entire surface, acts as an aid to sorting different material thicknesses and as anticorrosion protection.

Bluing and blackening

Applied to entire surface, some anticorrosion protection and thickness protection, also aids differentiation.

LUTZ BLADES website are subject to copyright and other proprietary rights.
LUTZ BLADES allows access to all its website content for viewing purposes. Copying and reproducing content (copy images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.

LUTZ BLADES will pursue all violations against trademark law regarding its trademarks.
Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our

Proprietary rights: The owner of the brandnames used by LUTZ BLADES is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found there. This applies in particular to the internationally registered trademark "LUTZ BLADES exactly", which consists of words and graphic symbols.

E & OE. Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at www.lutz-blades.com.